




NTN BEARING MFG.CORP.

30 mm x 47 mm x 23 mm INA NKIA5906 Complex Bearing Unit

Bearing No. NKIA5906



NKIA5906 Bearing 2D drawings and 3D CAD models

Size	30x47x23 mm
Bore Diameter	30 mm
Outer Diameter	47 mm
Width	23 mm
d	30 mm
D	47 mm
B	23 mm
F	35 mm
r_{\min}	0,3 mm
m	147 g / Weight
C_r	28500 N / Dynamic load rating (radial)
C_{0r}	35500 N / Static load rating (radial)
C_a	5900 N / Dynamic load rating (axial)
C_{0a}	11200 N / Static load rating (axial)
C_{ur}	6400 N / Fatigue limit load, radial
C_{ua}	495 N / Fatigue limit load, axial
n_G	12700 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP



NTN BEARING MFG.CORP.

Minimum Buy Quantity	N/A
Weight / Kilogram	0.15
EAN	4012802059625
Product Group	B00234
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Long Description	30MM Bore 1; 30MM Bore 2; 47MM Outside Diameter; 23MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKIA5906
Weight / LBS	0.324
Outside Diameter	1.85 Inch 47 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter



NTN BEARING MFG.CORP.

Height	0.906 Inch 23 Millimeter
Bore 2	1.181 Inch 30 Millimeter
Bore 1	1.181 Inch 30 Millimeter